


# Engineered Pumps for North America



EGGER TURO PUMPS North America, Inc.




USA &  
CANADA

Solids Handling Pump Program



## Vortex Pumps with Fully Recessed Impeller



- High hydraulic efficiencies
- Low wear characteristics
- Large solids handling ability
- Low shear of solids
- Low life cycle cost (LCC)
- Long mean time between failure
- Variable/Interchangeable seal arrangements
- Center line mounted for high temperatures
- Various standard materials available

Discharge: ANSI 1 1/2" - 8"  
 Capacity: up to 2,500 gpm  
 Head: up to 430 ft  
 Gas content: up to 8% Vol.  
 Temp. range: up to 250°F standard  
 up to 570°F special construction  
 Design press: up to 230 psi standard  
 up to 1450 psi special construction

### Application:

- PVC Slurries, HDPE Slurries, EPS, Latex, Gypsum Slurry, Milk of Lime.
- Paper stock, Trash Pumps.
- Grit, Raw Sewage, RAS/WAS, Septic Receiving, Primary Sludge.
- Potato Waste, Sugar Beet & Cane Waste, Carrots, Peas.
- Coke Fines, Fly Ash.
- Metal Chips, Paint, Metal Finishing, Grinding Emulsions.

**Dry-pit design**

Horizontal pumps

HF H

Vertical pumps

VK VF V

**Dry and wet-pit design**

Vertical shaft pumps

S F

Cantilever pumps

SO/SOK SOF/FOF






EGGER TURO PUMPS North America, Inc.

# RPP SERIES

## Axial Flow Elbow Pumps



Discharge: ANSI 10" - 48"  
Capacity: up to 95,000 gpm  
Head: up to 40 ft  
Temp. range: up to 250°F standard  
up to 570°F special construction

### Application:

- Gentle pumping of solids
- Crystal suspensions
- Large flows and Low heads.
- Recirculation pumps for reactors and evaporators.

USA &  
CANADA

**EGGER TURO PUMPS**  
North America, Inc.

P.O. Box 26787  
Salt Lake City, UT 84126-0787  
[www.eggerturopumps.us](http://www.eggerturopumps.us)

[info@eggerturopumps.us](mailto:info@eggerturopumps.us)  
phone 801.972.9591  
fax 801.975.0753

**Aqua Solutions, Inc.**  
154 West Grove Street, Unit D  
Middleboro, MA 02346  
[www.aquasolutionsinc.net](http://www.aquasolutionsinc.net)  
Tel: 508-947-5777  
Fax: 508-861-0733